



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

of the Tetracaulodon, which he had noticed at the last meeting.

He called the attention of the Society to four specimens, which he had placed on the table. 1st. A cast of the lower jaw of the Tetracaulodon, described by Dr. Godman, and figured in our Transactions, Vol. IV. N. S., Pl. xxvi. 2d. A fragment of a lower jaw of the same species, belonging to our Cabinet, described Vol. IV. N. S., Trans. Pl. xxix. 3d. The portion of a lower jaw of a young Tetracaulodon, exhibited at the last meeting; and 4th, One similar, from the collection of Mr. Koch, and which he stated he was enabled to submit to the inspection of the members, through the liberality of the owner.

He called attention to the circumstance, that the alveoli for the tusks in the first and second of these specimens were alike in form, depth and direction, but that there was a marked dissimilarity in these respects between them and those of the third and fourth specimens; the latter being also like each other. In the two former the alveoli are nearly cylindrical, and extend nearly to the inner table of the chin, leaving at their base merely a thin plate of bone: whilst in the two last the alveoli are conical, and so superficial as to leave a space of nearly two inches between their base and the posterior surface of the chin.

---

NOTE.—By an error in the typographical arrangement of the table of longitudes in the last Number, at page 66, a blank has been introduced after "Worcester," in the 24th line, of the 3d and 4th columns. This blank should have been in the first line, after "Boston," and the figures in those columns from the first to the 24th line inclusive, should have stood, each of them, one line below their present place—thus:

2		Amherst		9		25		72 31 35.85		+7.36
---	--	---------	--	---	--	----	--	-------------	--	-------